

REKEYABLE PADLOCKS - HIGH SECURITY



REKEYABLE PADLOCKS - HIGH SECURITY

**2000,
2010,
2500**

2 7/8" Wide




- Unique one-piece solid body design
- Triple-plated chrome body
- Model 2000 & 2500 is a high precision manufactured die-cast body
- Locking bolt
- 6-pin tumbler cylinder for maximum security
- Model 2010 uses the same high precision technology in manufacturing from solid bar stock

Catalog #	Description	Body Thickness	Locking Bolt
2000 KD, KA	Keyed Different, Keyed Alike	1 1/2"	1 3/32"
2010 KD, KA	Keyed Different, Keyed Alike	1 1/2"	1 3/32"
2500 KD, KA	Keyed Different, Keyed Alike	1 1/2"	1 3/32"

**5300,
5360**

1 3/4" Wide

2" Wide



- Shrouded one-piece design
- Hardened solid steel cover plate
- Stainless steel double-ball locking mechanism
- Cylinders are rekeyable, interchangeable and easy to service
- Satin chrome, triple-plated, hardened solid steel body
- Case-hardened, chrome-plated boron alloy steel shackle
- 5-pin cylinders

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5300 KD, KA	Keyed Different, Keyed Alike	5/16"	1 1/8"	3/4"
5360 KD, KA	Keyed Different, Keyed Alike	3/8"	1 1/8"	3/4"

**7200,
7201,
7202**

1 3/4" Wide



- Triple-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 7-pin tubular cylinders
- Hardened steel cover plate
- Stainless steel double-ball locking mechanism
- Keyable to other cam locks and inner cylinder locks

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
7200 KD, KA	Keyed Different, Keyed Alike	5/16"	1 1/8"	3/4"
7201 KD, KA	Keyed Different, Keyed Alike	5/16"	2"	3/4"
7202 KD, KA	Keyed Different, Keyed Alike	5/16"	3"	3/4"

**7260,
7261,
7262**

2" Wide



- Triple-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 7-pin tubular cylinders
- Solid steel cover plate
- Stainless steel double-ball locking mechanism
- Maximum security

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
7260 KD, KA	Keyed Different, Keyed Alike	3/8"	1 1/8"	3/4"
7261 KD, KA	Keyed Different, Keyed Alike	3/8"	2"	3/4"
7262 KD, KA	Keyed Different, Keyed Alike	3/8"	3"	3/4"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

AME 1

888-881-4245

Fax: 888-881-4248



REKEYABLE PADLOCKS - SOLID STEEL

REKEYABLE PADLOCKS - SOLID STEEL

**700,
701**

2½" Wide



- Satin chrome-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 5-pin cylinders
- Solid steel cover plate
- Stainless steel double-ball locking mechanism
- Cylinders are rekeyable, interchangeable and easy to service

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
700 KD, KA	Keyed Different, Keyed Alike	7/16"	1 1/16"	1 5/16"
701 KD, KA	Keyed Different, Keyed Alike	7/16"	2"	1 5/16"

**5100,
5101,
5012**

1½" Wide



- Satin chrome-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 5-pin cylinders
- Solid steel cover plate
- Stainless steel double-ball locking mechanism
- Cylinders are rekeyable, interchangeable and easy to service

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5100 KD, KA	Keyed Different, Keyed Alike	¼"	1"	¾"
5101 KD, KA	Keyed Different, Keyed Alike	¼"	1 ½"	¾"
5102 KD, KA	Keyed Different, Keyed Alike	¼"	3"	¾"

**5200,
5201,
5202**

1¾" Wide



- Satin chrome-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 5-pin cylinders
- Solid steel cover plate
- Stainless steel double-ball locking mechanism
- Cylinders are rekeyable, interchangeable and easy to service

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5200 KD, KA	Keyed Different, Keyed Alike	5/16"	1 ½"	¾"
5201 KD, KA	Keyed Different, Keyed Alike	5/16"	2"	¾"
5202 KD, KA	Keyed Different, Keyed Alike	5/16"	3"	¾"

**5260,
5261,
5262**

2" Wide



- Satin chrome-plated, hardened solid steel body
- Case-hardened, triple-plated boron alloy steel shackle
- 5-pin cylinders
- Solid steel cover plate
- Stainless steel double-ball locking mechanism
- Cylinders are rekeyable, interchangeable and easy to service

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5260 KD, KA	Keyed Different, Keyed Alike	3/8"	1 ½"	¾"
5261 KD, KA	Keyed Different, Keyed Alike	3/8"	2"	¾"
5262 KD, KA	Keyed Different, Keyed Alike	3/8"	3"	¾"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

AME 2

888-881-4245

Fax: 888-881-4248



Rekeyable Padlocks - Solid Steel, Continued...

H10
H11

2" Wide



- Corrosion-resistant, plated, solid steel body
- 10-blade rekeyable tumbler cylinder
- Case-hardened, boron alloy, corrosion-resistant plated shackle

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
H10 KD, KA	Keyed Different, Keyed Alike	7/16"	1 1/8"	3/4"
H11 KD, KA	Keyed Different, Keyed Alike	7/16"	2"	3/4"

REKEYABLE PADLOCKS - SOLID BRASS

5530,
5531,
5532

1 1/2" Wide



- Weatherbuilt solid brass body
- Boron alloy steel, case-hardened, triple-plated chrome shackle
- Solid steel cylinder cover plate
- Stainless steel double-ball locking mechanism
- 5-pin tumbler cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5530 KD, KA	Keyed Different, Keyed Alike	1/4"	1"	3/4"
5531 KD, KA	Keyed Different, Keyed Alike	1/4"	1 1/2"	3/4"
5532 KD, KA	Keyed Different, Keyed Alike	1/4"	3"	3/4"

5560,
5561,
5562,
5565

1 3/4" Wide



- Weatherbuilt solid brass body
- Boron alloy steel, case-hardened, triple-plated chrome shackle
- Solid steel cylinder cover plate
- Stainless steel double-ball locking mechanism
- 5-pin tumbler cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5560 KD, KA	Keyed Different, Keyed Alike	5/16"	1 1/8"	3/4"
5561 KD, KA	Keyed Different, Keyed Alike	5/16"	2"	3/4"
5562 KD, KA	Keyed Different, Keyed Alike	5/16"	3"	3/4"
5565 KD, KA	Keyed Different, Keyed Alike	5/16"	5"	3/4"

5570,
5571,
5572

2" Wide



- Weatherbuilt solid brass body
- Boron alloy steel, case-hardened, triple-plated chrome shackle
- Solid steel cylinder cover plate
- Stainless steel double-ball locking mechanism
- 5-pin tumbler cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5570 KD, KA	Keyed Different, Keyed Alike	3/8"	1 1/8"	3/4"
5571 KD, KA	Keyed Different, Keyed Alike	3/8"	2"	3/4"
5572 KD, KA	Keyed Different, Keyed Alike	3/8"	3"	3/4"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

AME 3

888-881-4245
Fax: 888-881-4248



REKEYABLE PADLOCKS - SOLID BRASS
REKEYABLE PADLOCKS - ALUMINUM

Rekeyable Padlocks - Solid Brass, Continued...

**L50,
L51,
L52**

1 3/4" Wide



- Weatherbuilt solid brass body
- Boron alloy steel, case-hardened, triple-plated chrome shackle
- Solid steel cylinder cover plate
- Stainless steel double-ball locking mechanism
- 10 blade rekeyable tumbler cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
L50 KD, KA	Keyed Different, Keyed Alike	5/16"	1 1/8"	3/4"
L51 KD, KA	Keyed Different, Keyed Alike	5/16"	2"	3/4"
L52 KD, KA	Keyed Different, Keyed Alike	5/16"	3"	3/4"

REKEYABLE PADLOCKS - ALUMINUM

**1105,
1106,
1107**

1 1/2" Wide



- Safety Lock-Out system
- Corrosion & spark resistant
- Exclusive dot matrix stamping to help comply with OSHA regulations
- 5-pin rekeyable cylinder
- Solid body aluminum anodized finish
- Case-hardened, triple-plated, chrome shackle and cover plate
- Double ball bearing locking mechanism

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1105 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Duranodic Brown (D), Gold (G), Green (E), Orange (N), Purple (U), Red (R)</i>	1/4"	1"	3/4"
1106 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Duranodic Brown (D), Gold (G), Green (E), Orange (N), Purple (U), Red (R)</i>	1/4"	1 1/2"	3/4"
1107 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Duranodic Brown (D), Gold (G), Green (E), Orange (N), Purple (U), Red (R)</i>	1/4"	3"	3/4"

**1205,
1206,
1207,
1209**

1 3/4" Wide



- Safety Lock-Out system
- Corrosion & spark resistant
- Exclusive dot matrix stamping to help comply with OSHA regulations
- 5-pin rekeyable cylinder
- Solid body aluminum anodized finish
- Case-hardened, triple-plated, chrome shackle and cover plate
- Double ball bearing locking mechanism

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1205 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E), Orange (N), Plain (P), Purple (U), Red (R)</i>	5/16"	1 1/8"	3/4"
1206 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E), Orange (N), Plain (P), Purple (U), Red (R)</i>	5/16"	2"	3/4"
1207 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E), Orange (N), Plain (P), Purple (U), Red (R)</i>	5/16"	3"	3/4"
1209 KD, KA	Keyed Different, Keyed Alike <i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E), Orange (N), Plain (P), Purple (U), Red (R)</i>	5/16"	5"	3/4"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

AME 4

888-881-4245

Fax: 888-881-4248

**REKEYABLE PADLOCKS - ALUMINUM
INTERCHANGEABLE CORE PADLOCKS - SOLID STEEL**



Rekeyable Padlocks - Aluminum, Continued...

**1305,
1306,
1307**

2" Wide



- Safety Lock-Out system
- Corrosion & spark resistant
- Exclusive dot matrix stamping to help comply with OSHA regulations
- 5-pin rekeyable cylinder
- Solid body aluminum anodized finish
- Case-hardened, triple-plated, chrome shackle and cover plate
- Double ball bearing locking mechanism

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1305 KD, KA	Keyed Different, Keyed Alike	3/8"	1 1/8"	3/4"
	<i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E)</i>			
1306 KD, KA	Keyed Different, Keyed Alike	3/8"	2"	3/4"
	<i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E)</i>			
1307 KD, KA	Keyed Different, Keyed Alike	3/8"	3"	3/4"
	<i>Comes in Black (K), Blue (B), Brown (D), Gold (G), Green (E)</i>			

..... INTERCHANGEABLE CORE PADLOCKS - SOLID STEEL

**3200,
3201,
3202**

1 3/4" Wide

**3260,
3261
3262**

2" Wide



- The 3560 & 3570 Series accepts Best®, Arrow®, Falcon® and other small format IC core cylinders
- Chrome plated, case-hardened, boron alloy steel shackle
- Satin chrome finish
- Will accept 5,6, or 7 pin cylinders
- Triple-plated, hardened steel padlock body

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3200	Without Core	5/16"	1 1/8"	3/4"
3201	Without Core	5/16"	2"	3/4"
3202	Without Core	5/16"	3"	3/4"
3260	Without Core	3/8"	1 1/8"	3/4"
3261	Without Core	3/8"	2"	3/4"
3262	Without Core	3/8"	3"	3/4"
	<i>Prepped for Best® Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores</i>			

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

AME 5

888-881-4245

Fax: 888-881-4248



**INTERCHANGEABLE CORE PADLOCKS - SOLID BRASS
DOOR KEY COMPATIBLE PADLOCKS - SOLID STEEL
DOOR KEY COMPATIBLE PADLOCKS - SOLID BRASS**

..... INTERCHANGEABLE CORE PADLOCKS - SOLID BRASS

**3560,
3561,
3562**

1 3/4" Wide

**3570,
3571,
3572**

2" Wide

3900S

2" Wide

- The 3560 & 3570 Series accepts Best®, Arrow®, Falcon® and other small format IC core cylinders
- Chrome plated, case-hardened, boron alloy steel shackle
- The 3900S accepts Schlage, Everest and Primis cylinders
- Solid brass padlock body
- Will accept 5, 6, or 7 pin cylinders

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3560	Without Core	5/16"	1 1/8"	3/4"
3561	Without Core	5/16"	2"	3/4"
3562	Without Core	5/16"	3"	3/4"
3570	Without Core	3/8"	1 1/8"	3/4"
3571	Without Core	3/8"	2"	3/4"
3572	Without Core	3/8"	3"	3/4"
<i>Prepped for Best® Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores</i>				
3900S	Without Core	3/8"	1 1/8"	3/4"
<i>Prepped for Schlage large format IC core</i>				



..... DOOR KEY COMPATIBLE PADLOCKS - SOLID STEEL

**3800,
3801**

2 1/4" Wide

- Accepts Schlage®, Medeco®, Lori®, and Assa® Series A A key-in-knob cylinders - 6 pin only
- Chrome plated, case-hardened, boron alloy steel shackle
- Satin chrome finish
- Triple-plated, hardened steel padlock body

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3800	Without Cylinder	7/16"	1 1/8"	3/4"
3801	Without Cylinder	7/16"	2"	3/4"
<i>Takes door key compatible cylinder</i>				



..... DOOR KEY COMPATIBLE PADLOCKS - SOLID BRASS

**3600,
3601,
3602**

1 3/4" Wide

- Accepts Schlage®, Medeco®, Lori®, and Assa® Series A key-in-knob cylinders - 6 pin only
- Chrome plated, case-hardened, boron alloy steel shackle
- Solid brass padlock body

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3600	Without Cylinder	5/16"	1 1/8"	3/4"
3600K	Contains O-Bitted Kwikset Cylinder	5/16"	1 1/8"	3/4"
3600S	Contains O-Bitted Schlage Cylinder	5/16"	1 1/8"	3/4"
3600Y	Contains O-Bitted Yale Cylinder	5/16"	1 1/8"	3/4"
3601	Without Cylinder	5/16"	2"	3/4"
3601K	Contains O-Bitted Kwikset Cylinder	5/16"	2"	3/4"
3601S	Contains O-Bitted Schlage Cylinder	5/16"	2"	3/4"
3601Y	Contains O-Bitted Yale Cylinder	5/16"	2"	3/4"
3602	Without Cylinder	5/16"	3"	3/4"
3602K	Contains O-Bitted Kwikset Cylinder	5/16"	3"	3/4"
3602S	Contains O-Bitted Schlage Cylinder	5/16"	3"	3/4"
3602Y	Contains O-Bitted Yale Cylinder	5/16"	3"	3/4"



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

AME 6

888-881-4245

Fax: 888-881-4248

DOOR KEY COMPATIBLE PADLOCKS - SOLID BRASS HASPS



Door Key Compatible Padlocks - Solid Brass, Continued...

**3700,
3701,
3702**

2" Wide

- Accepts Schlage®, Medeco®, Lori®, and Assa® Series A key-in-knob cylinders - 6 pin only
- Chrome plated, case-hardened, boron alloy steel shackle
- Solid brass padlock body




Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3700	Without Cylinder	3/8"	1 1/8"	3/4"
3700K	Contains O-Bitted Kwikset Cylinder	3/8"	1 1/8"	3/4"
3700S	Contains O-Bitted Schlage Cylinder	3/8"	1 1/8"	3/4"
3700Y	Contains O-Bitted Yale Cylinder	3/8"	1 1/8"	3/4"
3701	Without Cylinder	3/8"	2"	3/4"
3701K	Contains O-Bitted Kwikset Cylinder	3/8"	2"	3/4"
3701S	Contains O-Bitted Schlage Cylinder	3/8"	2"	3/4"
3701Y	Contains O-Bitted Yale Cylinder	3/8"	2"	3/4"
3702	Without Cylinder	3/8"	3"	3/4"
3702K	Contains O-Bitted Kwikset Cylinder	3/8"	3"	3/4"
3702S	Contains O-Bitted Schlage Cylinder	3/8"	3"	3/4"
3702Y	Contains O-Bitted Yale Cylinder	3/8"	3"	3/4"

Heavy duty hardened steel hasps defy cutting and sawing to turn thievery into an exercise in futility. For backyard sheds, block-long warehouses, vending machines, van doors, trucks and utility rooms, they're worthy companions for American Lock padlocks.


HASPS

535




Catalog #	Description	Length	Width
535	Hardened Steel, Off-Center Hole	5"	2"

800




Catalog #	Description	Length	Width
800	Steel <i>Zig-zag design • 6 square hole • Chrome</i>	8 1/2"	4 1/2"

825




Catalog #	Description	Length	Width
825	Hardened Steel, Straight Bar, 7/16"	7 1/4"	1 5/8"

850



Catalog #	Description	Length	Width
850	Hardened Steel, 90° Angle Bar	4 1/4"	1 5/8"

895



Catalog #	Description	Finish	Adjustable
895	3/4" Solid Hardened Steel Throw	Chrome-Plated	3/4" to 2 3/8"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

AME 7

888-881-4245
Fax: 888-881-4248





..... **NOTES**

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free



913-371-5787
Fax: 913-371-3201

AME 8

888-881-4245
Fax: 888-881-4248