


**.....KWIKSET SECURITY KNOBS.....
THE #1 CHOICE IN HOME SECURITY**

TYLO

- Full 1" Throwbolt
- Lifetime Mechanical Warranty
- Pick resistant 5-pin system
- Five Year Finish Warranty



| Catalog # | Description | Finish | Door Thickness | Cylinder |
|------------|--|----------------|-----------------|----------|
| 200T x 3 | Hall/Closet <i>Both knobs always free</i> | Polished Brass | 1 3/8" - 1 3/4" | 5-pin |
| 200T x 5 | Hall/Closet <i>Both knobs always free</i> | Antique Brass | 1 3/8" - 1 3/4" | 5-pin |
| 200T x 26D | Hall/Closet <i>Both knobs always free</i> | Satin Chrome | 1 3/8" - 1 3/4" | 5-pin |
| 300T x 3 | Privacy/Bed/Bath <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Polished Brass | 1 3/8" - 1 3/4" | 5-pin |
| 300T x 5 | Privacy/Bed/Bath <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Antique Brass | 1 3/8" - 1 3/4" | 5-pin |
| 300T x 26D | Privacy/Bed/Bath <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Satin Chrome | 1 3/8" - 1 3/4" | 5-pin |
| 400T x 3 | Entry <i>Both knobs locked or unlocked by key outside or turnbutton inside</i> | Polished Brass | 1 3/8" - 1 3/4" | 5-pin |
| 400T x 5 | Entry <i>Both knobs locked or unlocked by key outside or turnbutton inside</i> | Antique Brass | 1 3/8" - 1 3/4" | 5-pin |
| 400T x 26D | Entry <i>Both knobs locked or unlocked by key outside or turnbutton inside</i> | Satin Chrome | 1 3/8" - 1 3/4" | 5-pin |

.....KWIKSET SECURITY DEADBOLTS.....

**660,
665**


- Tough protection at an affordable price
- Large interior turnpiece for easy operation
- 5 Year Finish Warranty
- Tapered cylinder guard resists wrenching
- Lifetime Mechanical Warranty

SPECIFICATIONS:


- ✍ Bolt: 1" throw - Nickel plated steel
- ✍ Backset: Adjustable 2 3/8" standard
- ✍ Door Thickness: 1 3/8" - 1 3/4" doors standard
- ✍ Door Prep: Crossbore - 2 1/8"
Edge Bore - 1"
Latch Face - 1" x 2 1/4"
- ✍ Faceplate: 1" x 2 1/4" square corner standard
- ✍ Cylinder: 5-pin
- ✍ Strikes: 1" x 2 1/4" square corner standard
- ✍ Reversible for right or left-hand doors

Single Cylinder - Deadbolt operated by key outside and thumbturn inside

Double Cylinder - Deadbolt operated by key both sides



| Catalog # | Finish |
|-----------|----------------|
| 660 x 3 | Polished Brass |
| 660 x 5 | Antique Brass |
| 660 x 26D | Satin Chrome |



| Catalog # | Finish |
|-----------|----------------|
| 665 x 3 | Polished Brass |
| 665 x 5 | Antique Brass |
| 665 x 26D | Satin Chrome |

Now Featuring *Kwik*Install
On Kwikset Security
Knobs & Levers

- Step 1**
Install latch and strike. *No hassle installation.*
- Step 2**
Align interior knob with pre-set screws and half round.
Then turn rose counter-clockwise. *No playing around with loose screws.*
- Step 3**
Turn the rose clockwise to engage screws. Tighten down screws.
Quick and easy installation.

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local
913-371-5787
Fax: 913-371-3201


www.smallwoodlock.com



Toll-Free
888-881-4245
Fax: 888-881-4248

.....KWIKSET SECURITY THUMBTURN DEADBOLTS.....

663



- Tough protection at an affordable price
- Large interior turnpiece for easy operation
- 5 Year Finish Warranty

- Tapered cylinder guard resists wrenching
- 10 Year Mechanical Warranty
- *For wood doors only*

SPECIFICATIONS:

- ✍ Bolt: 1" throw - Nickel plated steel
- ✍ Backset: Adjustable 2½" standard
- ✍ Door Thickness: 1⅜" - 1¾" doors standard
- ✍ Door Prep: Crossbore - 2⅝"
Edge Bore - 1"
Latch Face - 1" x 2¼"

- ✍ Faceplate: 1" x 2¼" square corner standard
- ✍ Cylinder: 5-pin removable core
- ✍ Strikes: 1" x 2¼" square corner standard
- ✍ Reversible for right or left-hand doors

| Catalog # | Finish |
|-----------|----------------|
| 663 x 3 | Polished Brass |
| 663 x 5 | Antique Brass |
| 665 x 26D | Satin Chrome |


Thumbturn - Deadbolt operated by thumbturn one side • No trim on other side

.....KWIKSET MAXIMUM SECURITY KNOBS.....

BEL AIR

- Heavy gauge solid-steel strike
- Lifetime Mechanical Warranty

- Pick resistant 5-pin system
- 5 Year Finish Warranty




| Catalog # | Description | Finish | Door Thickness | Cylinder |
|------------|---|----------------|----------------|----------|
| 450B x 3 | Storeroom/Vestibule Knob <i>Outside unlocked only while key is turned • Inside always free</i> | Polished Brass | 1⅜" - 1¾" | 5-pin |
| 450B x 5 | Storeroom/Vestibule Knob <i>Outside unlocked only while key is turned • Inside always free</i> | Antique Brass | 1⅜" - 1¾" | 5-pin |
| 450B x 26D | Storeroom/Vestibule Knob <i>Outside unlocked only while key is turned • Inside always free</i> | Satin Chrome | 1⅜" - 1¾" | 5-pin |

.....KWIKSET MAXIMUM SECURITY LEVERS.....

DELTA

- Style, function, and affordability
- Patented ergonomic design allows for maximum handgrip
- Lifetime Mechanical Warranty

- Fit, feel, and improved durability of premium levers
- Stylish security for entry doors
- 5 Year Finish Warranty



| Catalog # | Description | Finish | Door Thickness | Cylinder |
|-------------|---|----------------|----------------|----------|
| 405DL x 3 | Keyed Entry Lever <i>Both sides locked or unlocked by key outside or turnbutton inside</i> | Polished Brass | 1⅜" - 1¾" | 5-pin |
| 405DL x 26D | Keyed Entry Lever <i>Both sides locked or unlocked by key outside or turnbutton inside</i> | Satin Chrome | 1⅜" - 1¾" | 5-pin |

Now Featuring *KwikInstall*

**On Maximum Security
Knobs & Levers**

Step 1

Install latch and strike. *No hassle installation.*

Step 2

Align interior knob with pre-set screws and half round. Then turn rose counter-clockwise. *No playing around with loose screws.*

Step 3

Turn the rose clockwise to engage screws. Tighten down screws. *Quick and easy installation.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

KWI 2

Toll-Free

888-881-4245
Fax: 888-881-4248

**MAXIMUM SECURITY GATELATCHES
ULTRAMAX SECURITY KNOBS
DOOR HANDING**

Kwikset®

.....KWIKSET MAXIMUM SECURITY GATELATCHES.....

**588,
589**


- Built with convenience, security, & durability
- Solid steel deadbolt & heat-treated screws to resist kick-in and prying attacks
- Achieves ANSI A156.5 Grade 2 Security Rating
- Lifetime Mechanical Warranty
- Lifetime Finish and 10 Year Finish Warranty

SPECIFICATIONS:


↗ Cylinder: 5-pin

Single Cylinder - Deadbolt operated by key outside and thumbturn inside

Double Cylinder - Deadbolt operated by key both sides



| Catalog # | Finish |
|---------------|----------------|
| 588 x 3 | Polished Brass |




| Catalog # | Finish |
|---------------|----------------|
| 589 x 3 | Polished Brass |

.....KWIKSET ULTRAMAX SECURITY KNOBS.....

ABBY


- ANSI Grade 1 Deadbolt - best security available
- Lifetime Mechanical Warranty
- Ultra-strike door jamb brace anchored deep into the door jamb with 3" screws; reinforcing the door frame
- Anti-pick 6-pin system
- 10 Year Finish Warranty



| Catalog # | Description | Finish | Door Thickness | Cylinder |
|----------------|---|----------------------|-----------------------|----------------------|
| 720A x 3 | Passage/Hall/Closet Knob <i>Both knobs always free</i> | Polished Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |
| 730A x 3 | Privacy/Bed/Bath Knob <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Polished Brass | 1 3/8" - 1 3/4" | 6-pin Removable Core |
| 740A x 3 | Entry Knob <i>Both knobs locked or unlocked by key outside and turnbutton inside</i> | Polished Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |

HANCOCK

- ANSI Grade 1 Deadbolt - best security available
- Lifetime Mechanical Warranty
- Ultra-strike door jamb brace anchored deep into the door jamb with 3" screws; reinforcing the door frame
- Anti-pick 6-pin system
- 10 Year Finish Warranty



| Catalog # | Description | Finish | Door Thickness | Cylinder |
|----------------|---|----------------------|-----------------------|----------------------|
| 720H x 3 | Passage/Hall/Closet Knob <i>Both knobs always free</i> | Polished Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |
| 720H x 5 | Passage/Hall/Closet Knob <i>Both knobs always free</i> | Antique Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |
| 730H x 3 | Privacy/Bed/Bath Knob <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Polished Brass | 1 3/8" - 1 3/4" | 6-pin Removable Core |
| 730H x 5 | Privacy/Bed/Bath Knob <i>Both knobs locked or unlocked by turnbutton inside • Outside knob unlocked by emergency key</i> | Antique Brass | 1 3/8" - 1 3/4" | 6-pin Removable Core |
| 740H x 3 | Entry Knob <i>Both knobs locked or unlocked by key outside and turnbutton inside</i> | Polished Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |
| 740H x 5 | Entry Knob <i>Both knobs locked or unlocked by key outside and turnbutton inside</i> | Antique Brass | 1 3/8" - 2 1/4" | 6-pin Removable Core |

Now Featuring KwikInstall

**On UltraMax
Security Knobs**

- Step 1**
Install latch and strike. *No hassle installation.*
- Step 2**
Install the patent pending mounting plate and tighten the pre-set screws. *No awkward screwdriver angles.*
- Step 3**
Mount the interior knob assembly and rotate to complete the installation. *Hidden screws.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

KWI 3

888-881-4245
Fax: 888-881-4248

.....KWIKSET ULTRAMAX AccessOne KEYLESS DEADBOLT.....

REMOTE KEYLESS



- Up to 30' of remote range
- Features LockMinder® The interior locked indicator light
- Features anti-theft rolling code security
- ANSI Grade 1 Deadbolt - best security available
- Lifetime Finish Warranty
- Functions with up to 12 remote controls
- Works with Genie Intellicode and overhead door Code Dodger garage door opener systems
- Lifetime Mechanical Warranty
- Separate lock and unlock buttons

SPECIFICATIONS:

- ✍ Deadbolt: - 1" throw - Nickel plated steel
- ✍ Backset: Deadbolt - Adjustable 2 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " standard
- ✍ Door Thickness: 1 $\frac{1}{4}$ " doors standard
- ✍ Door Prep: Crossbore - 2 $\frac{1}{8}$ "
Edge Bore - 1"
Latch Face - 1" x 2 $\frac{1}{4}$ "
- ✍ Faceplate: 1" x 2 $\frac{1}{4}$ " square corner standard
- ✍ Cylinder: 6-pin removable core
- ✍ Door handing: *Specify Handing*
- ✍ Strikes: Deadbolt - Maximum security 1 $\frac{1}{8}$ " x 3 $\frac{5}{8}$ " square corner standard

Single Cylinder - *Deadbolt operated by remote or key outside and thumbturn inside • LockMinder® light turns on when deadbolt is in locked position*

| Catalog # | Description | Finish |
|-----------------|-----------------------------|----------------|
| 886 x LO3 | 1 Remote & 1 Wireless | Polished Brass |

.....KWIKSET ULTRAMAX SECURITY HANDLESETS.....

ARLINGTON



- Built with convenience, security, & durability
- Lifetime Mechanical Warranty
- ANSI Grade 1 Deadbolt - best security available
- 10 Year Finish Warranty

SPECIFICATIONS:

- ✍ Bolts: Deadbolt - 1" throw - Nickel plated steel
Handle - 1/2" throw - Nickel plated
- ✍ Backset: Deadbolt - Adjustable 2 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " standard
Handle - 2 $\frac{3}{8}$ " plainlatch standard
- ✍ Door Prep: Crossbore - 2 $\frac{1}{8}$ "
Edge Bore - 1"
Latch Face - 1" x 2 $\frac{1}{4}$ "
- ✍ Faceplate: 1" x 2 $\frac{1}{4}$ " square corner standard
- ✍ Cylinder: 6-pin removable core
- ✍ Door Thickness: 1 $\frac{1}{4}$ " doors standard
- ✍ Reversible for right or left-hand doors • *Specify handing*
- ✍ - Strikes: Deadbolt - Maximum security 1 $\frac{1}{8}$ " x 3 $\frac{5}{8}$ " square corner standard
Handle - 2 $\frac{1}{4}$ " full lip square corner standard

| Catalog # | Description | Finish | Height |
|-----------------|--|----------------------|---------------------|
| 800AN x 3 | Solid Brass Handle Set w/Hancock Interior Knob | Polished Brass | 19 $\frac{1}{16}$ " |

CHELSEA



- Built with convenience, security, & durability
- Lifetime Mechanical Warranty
- ANSI Grade 1 Deadbolt - best security available
- 10 Year Finish Warranty

SPECIFICATIONS:

- ✍ Bolts: Deadbolt - 1" throw - Nickel plated steel
Handle - 1/2" throw - Nickel plated
- ✍ Backset: Deadbolt - Adjustable 2 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " standard
Handle - 2 $\frac{3}{8}$ " plainlatch standard
- ✍ Door Prep: Crossbore - 2 $\frac{1}{8}$ "
Edge Bore - 1"
Latch Face - 1" x 2 $\frac{1}{4}$ "
- ✍ Faceplate: 1" x 2 $\frac{1}{4}$ " square corner standard
- ✍ Cylinder: 6-pin removable core
- ✍ Door Thickness: 1 $\frac{1}{4}$ " doors standard
- ✍ Reversible for right or left-hand doors • *Specify handing*
- ✍ Strikes: Deadbolt - Maximum security 1 $\frac{1}{8}$ " x 3 $\frac{5}{8}$ " square corner standard
Handle - 2 $\frac{1}{4}$ " full lip square corner standard

| Catalog # | Description | Finish | Height |
|-----------------|--|----------------------|---------------------|
| 800CE x 2 | Solid Brass Handle Set w/Hancock Interior Knob | Polished Brass | 19 $\frac{1}{16}$ " |

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

KWI 4

888-881-4245
Fax: 888-881-4248

**ULTRAMAX SECURITY DEADBOLTS
INSTALLATION KIT
KEY BLANKS**



..... KWIKSET ULTRAMAX SECURITY DEADBOLTS

**780,
785**

- Built with convenience, security, & durability
- Solid steel deadbolt & heat-treated screws to resist kick-in and prying attacks

- ANSI Grade 1 Deadbolt - best security available
- Lifetime Mechanical Warranty
- 10 Year Finish Warranty


SPECIFICATIONS:

- ✍ Bolt: 1" throw - Nickel plated steel
- ✍ Backset: Adjustable 2³/₈" or 2³/₄" standard
- ✍ Door Thickness: 1³/₈" - 1³/₄" standard
- ✍ Door Prep: Crossbore - 1¹/₂" or 2¹/₈"
Edge Bore - 1"
Latch Face - 1" x 2¹/₄"


- ✍ Faceplate: 1" x 2¹/₄" square corner standard
- ✍ Cylinder: 6-pin removable core
- ✍ Strikes: Maximum security 1¹/₄" x 3³/₈" square corner standard
- ✍ Reversible for right or left-hand doors

Single Cylinder - Deadbolt operated by key outside and thumbturn inside

Double Cylinder - Deadbolt operated by key both sides



| Catalog # | Finish |
|-----------------|----------------|
| 780 x 3 | Polished Brass |
| 780 x 5 | Antique Brass |
| 780 x 26D | Satin Chrome |



| Catalog # | Finish |
|-----------------|----------------|
| 785 x 3 | Polished Brass |
| 785 x 5 | Antique Brass |
| 785 x 26D | Satin Chrome |

..... ULTRAMAX KEY BLANKS



| Catalog # | Description | Finish |
|-------------|--------------------|---------------|
| 81208 | K-Bow, 6-Pin | Nickel Plated |


..... KWIKSET KEY BLANKS



| Catalog # | Description | Finish |
|-------------|--------------------|---------------|
| 81063 | K-Bow, 5-Pin | Nickel Plated |

..... INSTALLATION KIT

138




- All-in-one boring jig
- Quick boring system
- Trouble-free setup

| Catalog # |
|-----------|
| 138 |

DOOR HANDING

You must specify the handing of your door. Lock is not field reversible. Look at the door in its closed position from the exterior (pushbutton side), and use the corresponding diagram.



NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

KWI 5

888-881-4245

Fax: 888-881-4248



Kwikset®

..... **NOTES**

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

KWI 6

Toll-Free

888-881-4245
Fax: 888-881-4248