

..... **LAMINATED STEEL PIN TUMBLER PADLOCKS**

1
1 3/4" Wide

- Hardened steel shackle for extra cut resistance
- Dual locking levers provide extra pry resistance
- Proprietary rustproofing for longer life
- 4-pin cylinder helps prevent picking
- Thousands of key changes maximize key integrity



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1 KD	Keyed Different	5/16"	1 5/16"	3/4"
1 KA	Keyed Alike	5/16"	1 5/16"	3/4"
<i>Stocked in key numbers:</i> 2001, 2002, 2004, 2007, 2008, 2016, 2028, 2035, 2043, 2063, 2081, 2106, 2107, 2126, 2173, 2175, 2196, 2203, 2206, 2211, 2239, 2246, 2312, 2342, 2357, 2358, 2359, 2395, 2396, 2402, 2407, 2411, 2500, 2503, 2506, 2507, 2511, 2585, 2602, 2607, 2616, 2625, 2634, 2655, 2685, 2701, 2730, 2784, 2803, X2174, X2261, X2780				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
1MK	Master Keyed	5/16"	1 5/16"	3/4"
<i>Stocked in key numbers:</i> AM1, M1, SM1, SM10				
1UP	Universal Pin	5/16"	1 5/16"	3/4"
1LF KD	Keyed Different	5/16"	1 1/2"	3/4"
1LF KA	Keyed Alike	5/16"	1 1/2"	3/4"
<i>Stocked in key numbers:</i> 2001, 2004, 2008, 2028, 2106, 2107, 2126, 2175, 2211, 2359, 2396, 2402, 2411, 2500, 2507, 2685, 2701, X2261				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
1LJ KD	Keyed Different	5/16"	2 1/2"	3/4"
1LJ KA	Keyed Alike	5/16"	2 1/2"	3/4"
<i>Stocked in key numbers:</i> 2001, 2004, 2006, 2028, 2126, 2211, 2359, 2396, 2402, 2500, 2507, 2685, 2701, X2261				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
1LJUP	Universal Pin	5/16"	2 1/2"	3/4"
1LN KD	Keyed Different	5/16"	5 3/4"	3/4"
1LN KA	Keyed Alike	5/16"	5 3/4"	3/4"
<i>Stocked in key numbers:</i> 2004, 2126, 2396, 2402, X2261				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				

3
1 1/16" Wide

- Hardened steel shackle for extra cut resistance
- Dual locking levers provide extra pry resistance
- Proprietary rustproofing for longer life
- 4-pin cylinder helps prevent picking
- Thousands of key changes maximize key integrity



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3 KD	Keyed Different	9/32"	3/4"	5/8"
3 KA	Keyed Alike	9/32"	3/4"	5/8"
<i>Stocked in key numbers:</i> 0326, 0356, 0464, 0505, 0536, 0872, 0888, 0943, 3048, 3205, 3206, 3212, 3213, 3217, 3220, 3221, 3234, 3243, 3252, 3253, 3303, 3318, 3405, 3455, 3458, 3461, 3466, 3476, 3518, 3536, 3613, 3616, 3623, 3634, 3650, 3697, 3700, 3752, 3753, 3769, 3795, 3824, 3918, 3934, 3945				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
3 MK	Master Keyed	9/32"	3/4"	5/8"
<i>Stocked in key numbers:</i> SM725, SM744				
3UP	Universal Pin	9/32"	3/4"	5/8"
3LF KD	Keyed Different	9/32"	1 1/2"	5/8"
3LF KA	Keyed Alike	9/32"	1 1/2"	5/8"
<i>Stocked in key numbers:</i> 0464, 0505, 0536, 0872, 0888, 3048, 3205, 3252, 3318, 3405, 3458, 3461, 3753, 3934				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
3LFUP	Universal Pin	9/32"	1 1/2"	5/8"
3LH KD	Keyed Different	9/32"	2"	5/8"
3LH KA	Keyed Alike	9/32"	2"	5/8"
<i>Stocked in key numbers:</i> 0464, 0505, 0536, 0872, 0888, 3048, 3252, 3405, 3458, 3753				
☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 1

888-881-4245
Fax: 888-881-4248

..... LAMINATED STEEL PIN TUMBLER PADLOCKS

5
2" Wide

- Hardened boron alloy shackle for superior cut resistance
- Dual locking levers provide extra pry resistance
- Proprietary rustproofing for longer life
- 4-pin cylinder helps prevent picking
- Thousands of key changes maximize key integrity



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
5 KD	Keyed Different	3/8"	1"	15/16"
5 KA	Keyed Alike	3/8"	1"	15/16"
<i>Stocked in key numbers:</i> A101, A105, A247, A272, A297, A359, A380, A383, A389, A432, A473, A513, A514, A518, A778, A839, A925, A956, A993, A1384, A1424, A1463, A1658, A1997 ☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
5UP	Universal Pin	3/8"	1"	15/16"
5LF KD	Keyed Different	3/8"	1 1/2"	15/16"
5LF KA	Keyed Alike	3/8"	1 1/2"	15/16"
<i>Stocked in key numbers:</i> A105, A383, A389, A473, A925 ☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
5LFUP	Universal Pin	3/8"	1 1/2"	15/16"
5LJ KD	Keyed Different	3/8"	2 1/2"	15/16"
5LJ KA	Keyed Alike	3/8"	2 1/2"	15/16"
<i>Stocked in key numbers:</i> A105, A383, A389, A473, A925 ☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				

7
1 1/8" Wide

- Standard steel shackle
- Minimal clearance helps prevent prying
- Proprietary rustproofing for longer life
- 4-pin cylinder helps prevent picking
- Hundreds of key changes maximize key integrity



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
7 KD	Keyed Different	3/16"	3/16"	1/2"
7 KA	Keyed Alike	3/16"	3/16"	1/2"
<i>Stocked in key numbers:</i> P122, P150, P189, P216, P252, P286, P372, P384, P394, P467, P476, P491, P493, P525, P541, P543, P605, P749, P761, P812, P84 ☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
7 MK	Master Keyed	3/16"	3/16"	1/2"
<i>Stocked in key numbers:</i> SM69, SM178				
7LF KD	Keyed Different	3/16"	1 1/2"	1/2"
7LF KA	Keyed Alike	3/16"	1 1/2"	1/2"
<i>Stocked in key numbers:</i> P150, P252, P812 ☞ Don't see your key number? <i>No problem!</i> All key numbers are available with quick turn-around time.				
7LJ KD	Keyed Different	3/16"	2 1/2"	1/2"
7LJ KA	Keyed Alike	3/16"	2 1/2"	1/2"
<i>Stocked in key numbers:</i> P150, P252, P812				

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 2

888-881-4245
Fax: 888-881-4248

..... **LAMINATED STEEL PIN TUMBLER PADLOCKS**

15

2½" Wide



- Hardened boron alloy shackle for superior cut resistance
- Dual locking levers provide extra pry resistance
- Proprietary rustproofing for longer life
- 5-pin cylinder for additional security
- More than 9,000 key changes for greatest key integrity

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
15 KD	Keyed Different	7/16"	1 ¼"	1 3/16"
15 KA	Keyed Alike	7/16"	1 ¼"	1 3/16"

31

1 1/8" Wide



- Hardened steel shackle for superior cut resistance
- Dual locking levers provide extra pry resistance
- Proprietary rustproofing for longer life
- 5-pin cylinder for additional security
- More than 9,000 key changes for greatest key integrity

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
31 KD	Keyed Different	9/32"	3/4"	5/8"
31 KA	Keyed Alike	9/32"	3/4"	5/8"

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

MAS 3

888-881-4245

Fax: 888-881-4248



Master Lock's complete line of commercial grade rekeyable padlocks provides the most flexible, cost-effective way to maintain and add to your commercial padlock system security allowing you to:

- Restore security where it has been compromised due to lost keys or employee turnover
 - Modify or add on to security systems conveniently and cost-effectively
- Minimize both required padlock inventories and the time required to restore system security

MASTER LOCK OFFERS A REKEYABLE PADLOCK FOR VIRTUALLY ANY APPLICATION

REKEYABLE LAMINATED STEEL PADLOCKS

21

1 3/4" Wide



- Quickly rekeyable to meet customers' individual needs
- Removable cylinder can be replaced or repinned
- Hardened steel

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
21 KZW1	Zero-Bitted <i>4-pin Master W1 cylinder</i>	5/16"	15/16"	3/4"
21 WO	Lock Body & Shackle <i>Without cylinder</i>	5/16"	15/16"	3/4"
21LF KZW1	Zero-Bitted <i>4-pin Master W1 cylinder</i>	5/16"	1 1/2"	3/4"
21LF WO	Lock Body & Shackle <i>Without cylinder</i>	5/16"	1 1/2"	3/4"
21LJ KZW1	Zero-Bitted <i>4-pin Master W1 cylinder</i>	5/16"	2 1/2"	3/4"
21LJ WO	Lock Body & Shackle <i>Without cylinder</i>	5/16"	2 1/2"	3/4"
21LN WO	Lock & Body Shackle <i>Without cylinder</i>	5/16"	5 3/4"	3/4"

25

2" Wide



- Quickly rekeyable to meet customers' individual needs
- Removable cylinder can be replaced or repinned
- Hardened boron alloy

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
25 WO	Lock Body & Shackle <i>Without cylinder</i>	3/8"	1"	15/16"
25LJ WO	Lock Body & Shackle <i>Without cylinder</i>	3/8"	2 1/2"	15/16"

27

2" Wide




- Quickly rekeyable to meet customers' individual needs
- Removable cylinder can be replaced or repinned
- Hardened boron alloy

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
27 WO	Lock Body & Shackle <i>Without cylinder</i>	7/16"	1"	3/4"
27LH WO	Lock Body & Shackle <i>Without cylinder</i>	7/16"	2"	3/4"

101

3 1/4" Wide



- Quickly rekeyable to meet customers' individual needs
- Removable cylinder can be replaced or repinned
- Hardened boron alloy

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
101 WO	Lock Body & Shackle <i>Without cylinder</i>	5/16"	3"	2 1/4"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 4

888-881-4245
Fax: 888-881-4248

PRO SERIES® PADLOCKS
REKEYABLE, WEATHER TOUGH
REKEYABLE, HIGH SECURITY

Master Lock®

..... PRO SERIES® REKEYABLE PADLOCKS - WEATHER TOUGH®

6121
 2 1/8" Wide

- 5-pin W6000 cylinder
- Designed to resist the elements
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying
- Hardened boron alloy shackles for superior cut resistance



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6121 KD	Keyed Different	5/16"	1 1/8"	7/8"
6121 KA	Keyed Alike	5/16"	1 1/8"	7/8"
6121 KZW6000	Zero-Bitted	5/16"	1 1/8"	7/8"
6121 LJW6000	Zero-Bitted	5/16"	2 1/8"	7/8"

6125
 2 3/8" Wide

- 5-pin W6000 cylinder
- Designed to resist the elements
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying
- Hardened boron alloy shackles for superior cut resistance



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6125 KD	Keyed Different	3/8"	1 3/8"	7/8"
6125 KA	Keyed Alike	3/8"	1 3/8"	7/8"
6121 KZW6000	Zero-Bitted	3/8"	1 3/8"	7/8"

6127
 2 5/8" Wide

- 5-pin W6000 cylinder
- Designed to resist the elements
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying
- Hardened boron alloy shackles for superior cut resistance



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6127 KD	Keyed Different	7/16"	1 3/8"	7/8"
6127 KA	Keyed Alike	7/16"	1 3/8"	7/8"
6121 KZW6000	Zero-Bitted	7/16"	1 3/8"	7/8"

..... PRO SERIES® REKEYABLE PADLOCKS - HIGH SECURITY

6321
 2 1/8" Wide

- 5-pin W6000 cylinder
- Removable cylinder can be replaced or repinned
- Hardened boron alloy shackles for superior cut resistance
- High security solid iron shackle shroud resists harsh physical attacks
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6321 KD	Keyed Different	5/16"	3/4"	7/8"
6321 KA	Keyed Alike	5/16"	3/4"	7/8"
6321 KZW6000	Zero-Bitted	5/16"	3/4"	7/8"

6325
 2 3/8" Wide

- 5-pin W6000 cylinder
- Removable cylinder can be replaced or repinned
- Hardened boron alloy shackles for superior cut resistance
- High security solid iron shackle shroud resists harsh physical attacks
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6325 KD	Keyed Different	3/8"	3/4"	7/8"
6325 KA	Keyed Alike	3/8"	3/4"	7/8"
6325 KZW6000	Zero-Bitted	3/8"	3/4"	7/8"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
 Fax: 913-371-3201

MAS 5

888-881-4245
 Fax: 888-881-4248



.....PRO SERIES® REKEYABLE PADLOCKS - HIGH SECURITY.....

6327
 2 5/8" Wide



- 5-pin W6000 cylinder
- Removable cylinder can be replaced or repinned
- Hardened boron alloy shackles for superior cut resistance
- High security solid iron shackle shroud resists harsh physical attacks
- 5 spool pin tumbler cylinder for additional pick resistance
- Dual ball bearing locking mechanism resists pulling and prying

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6327 KD	Keyed Different	7/16"	3/4"	7/8"

6230
 2 1/2" Wide



- Greatest physical security available
- Hardened steel and boron alloy shackles for superior cut resistance
- 5-pin tumbler provides thousands of key changes
- Chrome rustproofing provides longer life
- Heavy case hardened steel body
- Shackle shrouds protect against bolt cutters
- Greatest key security available
- Special spool pin tumblers virtually impossible to pick
- W6000 cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6230 KD	Keyed Different	7/16"	1 1/8"	7/8"
6230 KA	Keyed Alike	7/16"	1 1/8"	7/8"
6230 KZW6000	Zero-Bitted	7/16"	1 1/8"	7/8"


6271
 2 7/8" Wide



- Hidden shackle lock incorporates anti-saw pins
- Reinforced die-cast body

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6271 KA	Keyed Alike	3/8"	N/A	N/A

7045
 1 3/4" Wide




- Greatest physical security available
- Hardened steel and boron alloy shackles for superior cut resistance
- 5-pin tumbler provides thousands of key changes
- Chrome rustproofing provides longer life
- Heavy case hardened steel body
- Shackle shrouds protect against bolt cutters
- Greatest key security available
- Special spool pin tumblers virtually impossible to pick
- W6000 cylinder

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
7045 KA	Keyed Alike	5/16"	1 3/16"	29/32"

.....PRO SERIES® REKEYABLE PADLOCKS - SOLID BRASS.....


6830
 1 1/16" Wide



- Corrosion-resistant padlocks for outdoor applications
- Hardened steel shackle for extra cut resistance
- W6000 Cylinder
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for added pick resistance
- Solid Brass

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6830 KD	Keyed Different	1/4"	1 1/16"	25/32"
6830 KA	Keyed Alike	1/4"	1 1/16"	25/32"
6830LF KA	Keyed Alike	1/4"	1 1/16"	25/32"

6840
 1 3/4" Wide



- Corrosion-resistant padlocks for outdoor applications
- Hardened steel shackle for extra cut resistance
- W6000 cylinder
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for added pick resistance
- Solid Brass

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6840 KD	Keyed Different	5/16"	1 3/16"	29/32"
6840 KA	Keyed Alike	5/16"	1 3/16"	29/32"
6840LJ KA	Keyed Alike	5/16"	2 7/16"	29/32"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

MAS 6

888-881-4245

Fax: 888-881-4248

PRO SERIES® PADLOCKS
REKEYABLE, ALUMINUM, SOLID BRASS
DOOR KEY COMPATIBLE

Master Lock®

..... PRO SERIES® REKEYABLE PADLOCKS - SOLID BRASS

6850
 2" Wide

- Corrosion-resistant padlocks for outdoor applications
- Hardened steel shackle for extra cut resistance
- W6000 cylinder
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for added pick resistance
- Solid Brass



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6850 KD	Keyed Different	3/8"	1 1/2"	2 5/32"
6850 KA	Keyed Alike	3/8"	1 1/2"	2 5/32"

..... PRO SERIES® REKEYABLE PADLOCKS - ALUMINUM

6835
 1 1/16" Wide

- Brightly colored locks for easy identification
- Hardened steel shackle for extra cut resistance
- W6000 cylinder
- Removable cylinder can be replaced or repinned
- 5 spool pin tumbler cylinder for added pick resistance
- Powder-coated finish lasts longer than anodized



Catalog #	Color	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6835RED KD	Red	Keyed Alike	1/4"	1 1/16"	2 5/32"
6835RED KA	Red	Keyed Alike	1/4"	1 1/16"	2 5/32"
6835ORJ KD	Orange	Keyed Different	1/4"	1 1/16"	2 5/32"
6835ORJ KA	Orange	Keyed Alike	1/4"	1 1/16"	2 5/32"
6835YLW KD	Yellow	Keyed Different	1/4"	1 1/16"	2 5/32"
6835YLW KA	Yellow	Keyed Alike	1/4"	1 1/16"	2 5/32"

..... PRO SERIES® DOOR KEY COMPATIBLE - WEATHER TOUGH®

6621
 2 1/2" Wide

- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6621 WO	Without Core <i>Takes door key compatible cylinder</i>	5/16"	1 1/8"	7/8"
6621LJ WO	Without Core	5/16"	2 3/8"	7/8"

6627
 2 5/8" Wide

- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6627 WO	Without Core <i>Takes door key compatible cylinder</i>	7/16"	1 3/8"	7/8"

..... PRO SERIES® DOOR KEY COMPATIBLE - HIGH SECURITY

6721
 2 1/8" Wide

- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6721 WO	Without Core <i>Takes door key compatible cylinder</i>	5/16"	3/4"	7/8"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free


913-371-5787
 Fax: 913-371-3201

MAS 7

888-881-4245
 Fax: 888-881-4248

..... PRO SERIES® DOOR KEY COMPATIBLE - SOLID STEEL

7042
1 3/4" Wide



- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
7042 D045 KZ	Contains 0-Bitted Schlage C Cylinder ...	5/16"	1 3/16"	29/32"

..... PRO SERIES® DOOR KEY COMPATIBLE - SOLID BRASS

6842
1 3/4" Wide




- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6842 D045 KZ	Contains 0-Bitted Schlage C Cylinder	1/4"	1 3/16"	25/32"
6842 D125 KZ	Contains 0-Bitted Kwikset Cylinder	1/4"	1 3/16"	25/32"
6842 D285 KZ ..	Contains 0-Bitted Schlage C-K Cylinder ..	1/4"	1 3/16"	25/32"
6842 WO	Without Cylinder	1/4"	1 3/16"	25/32"

Takes door key compatible cylinder

6852
2" Wide



- Use the same key that opens your security doors
- A padlock for any application requirements
- Improve key control, security, convenience, safety
- Already keyed to your specific requirements
- A perfect connection to your door security system including Schlage®, Kwikset®, Yale®, and 23 more!

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6852 WO	Without Cylinder	3/8"	1 1/2"	29/32"

Takes door key compatible cylinder

Security compromised? Restore it to a door lock, or a padlock, in ten seconds flat. No need to disassemble your lock to change keys. Facilities now using interchangeable core products will find Master Lock IC a perfect fit in both compatibility and affordability.

KEY CONTROL • SECURITY • CONVENIENCE • SAFETY

.... PRO SERIES® INTERCHANGEABLE CORE - WEATHER TOUGH®

6421
2 1/8" Wide



- Match your door security system
- 16 interchangeable core keyways
- Same key convenience

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6421 WO	Without Core	5/16"	1 1/8"	7/8"

Prepped for Best®, Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores

..... PRO SERIES® INTERCHANGEABLE CORE - HIGH SECURITY.....

6527
2 5/8" Wide



- Match your door security system
- 16 interchangeable core keyways
- Same key convenience

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6421 WO	Without Core	7/16"	3/4"	7/8"

Prepped for Best®, Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

MAS 8


888-881-4245

Fax: 888-881-4248

..... PRO SERIES® INTERCHANGEABLE CORE - SOLID BRASS

6831
1 1/16" Wide

- Match your door security system
- 16 interchangeable core keyways
- Same key convenience



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6831 WO	Without Core	1/4"	1 1/16"	25/32"
<i>Prepped for Best®, Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores</i>				

6841
1 3/4" Wide

- Match your door security system
- 16 interchangeable core keyways
- Same key convenience




Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6841 WO	Without Core	5/16"	1 3/16"	25/32"
<i>Prepped for Best®, Arrow®, Falcon®, KABA Peaks®, KSP® and LORI® IC cores</i>				

..... WARED PADLOCKS

9
3/4" Wide

- Laminated steel body for superior strength
- Warded locking mechanism minimizes jamming from dirt and grime
- Steel shackle provides strong cut resistance



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
9D KD	Keyed Different	1/8"	5/16"	1/4"

10
1" Wide

- Laminated steel body for superior strength
- Warded locking mechanism minimizes jamming from dirt and grime
- Steel shackle provides strong cut resistance
- Rustproofed for extended wear



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
10D KD	Keyed Different	5/32"	7/16"	13/32"
10 KA	Keyed Alike	5/32"	7/16"	13/32"

105
1 1/8" Wide

- Laminated steel body for superior strength
- Warded locking mechanism minimizes jamming from dirt and grime
- Steel shackle provides strong cut resistance
- Rustproofed for extended wear



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
105 KA	Keyed Alike	3/16"	1/2"	1/2"

500
1 3/4" Wide

- Laminated steel body for superior strength
- Warded locking mechanism minimizes jamming from dirt and grime
- Steel shackle provides strong cut resistance
- Rustproofed for extended wear



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
500 BRK KA	Keyed Alike	9/32"	1 3/16"	1 3/16"
<i>Breakaway shackle</i>				

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 9

888-881-4245
Fax: 888-881-4248

SOLID BRASS PADLOCKS

120

3/4" Wide



- Stylish and strong solid brass lock body
- 3-pin tumbler security
- Standard steel shackle

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
120D KA	Keyed Alike	5/32"	7/16"	1/4"

130

1 3/16" Wide



- Stylish and strong solid brass lock body
- 4-pin tumbler security
- Standard steel shackle

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
130D KA	Keyed Alike	3/16"	5/8"	3/16"

ECONOMY BRASS SERIES PADLOCKS

4120

3/4" Wide



- Case hardened shackle resists sawing and filing
- 3-pin tumbler cylinder provides greater pick resistance
- Brass body and cylinder provide extra resistance to the elements

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
4120 KA	Keyed Alike	5/32"	7/16"	3/8"

4130

1 1/8" Wide



- Case hardened shackle resists sawing and filing
- 3-pin tumbler cylinder provides greater pick resistance
- Brass body and cylinder provide extra resistance to the elements

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
4130 KD	Keyed Different	3/16"	9/16"	9/16"
4130 KA	Keyed Alike	3/16"	9/16"	9/16"

4140

1 1/2" Wide



- Case hardened shackle resists sawing and filing
- 4-pin tumbler cylinder provides greater pick resistance
- Brass body and cylinder provide extra resistance to the elements

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
4140 KA	Keyed Alike	1/4"	13/16"	13/16"

SET-YOUR-OWN COMBINATION PADLOCKS

175

2" Wide



- Solid brass case for strength and weatherability
- Resettable to allow for a personalized combination
- Change key included
- Set-Your-Own Combination convenience
- 4 digit dialing allows for thousands of combinations

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
175D	Resettable Combination	5/16"	1"	1"
175DLH	Resettable Combination	5/16"	2 1/4"	1"
<i>Steel shackle</i>				
175BSDSPT	Resettable Combination	5/16"	1"	1"
<i>Brass shackle</i>				

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 10

888-881-4245
Fax: 888-881-4248

**SET-YOUR-OWN COMBINATION
SHROUDED PADLOCKS
VENDING & METER**

Master Lock®

..... SET-YOUR-OWN COMBINATION PADLOCKS

178 Die-cast
2" Wide Reset to any of 10,000 personalized combinations

- Set-Your-Own Combination convenience
- 4-digit direct dial operation



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
178BLK	Resetable Combination	5/16"	1"	1"

..... COMBINATION PADLOCKS

1500
1 7/8" Wide

- World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- 3-digit dialing and 1,500 combinations for maximum security
- Double-armored stainless steel body
- Combination security for keyless convenience




Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1500D KD	Combination Different	9/32"	3/4"	1 3/16"
1500 KA	Combination Alike	9/32"	3/4"	1 3/16"

..... SHROUDED PADLOCKS

40
2 3/4" Wide


- Fully shielded design minimizes shackle exposure
- Stainless steel body resists corrosion
- 4-pin cylinder helps prevent picking
- Ideal protection against cutter attacks
- Key retaining feature ensures padlock is not left unlocked
- Hardened steel shackle for extra cut resistance
- Double deadbolt locking to guard against pulling
- Titanium Tough™ reinforced for high-tech strength



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
40D	Keyed Alike	3/8"	3/4"	3/4"

37
1 1/8" Wide

- Armored hardened steel shackle defies cutting
- Shackle guard protects against bolt cutters and hacksaws
- 4-pin tumbler cylinder helps prevent picking
- Ideal for securing trailers, cables and chains



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
37 KD	Keyed Different . Fits openings 1/2" in diameter or larger	15/16"	7/16"	7/16"
37 KA	Keyed Alike Fits openings 1/2" in diameter or larger	15/16"	7/16"	7/16"

..... VENDING & METER PADLOCKS

443
1 1/8" Wide

- Prevents access to vending and utility valve equipment
- Removable hardened shackle for extra cut resistance
- Thousands of key changes maximize key integrity
- Laminated steel body for superior strength
- 4-pin cylinder helps prevent picking
- Multiple shackle lengths



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
443 KD	Keyed Different	3/8"	5/8"	5/8"
443 KA	Keyed Alike	3/8"	5/8"	5/8"
443LE KD	Keyed Different	3/8"	7/8"	5/8"
443LK KD	Keyed Different	3/8"	3 1/2"	5/8"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 11

888-881-4245
Fax: 888-881-4248

TRAILER LOCKS

35, 39


- Protect unattended trailers
- 4-pin tumbler cylinder
- Rugged die-cast zinc body resists corrosion



Catalog #	Description
35 KD	Keyed Different Fits Most 2" and 2 1/16" Marvel Couplers, Pin Tumbler Mechanism
39 KD	Keyed Different Fits Most 1 7/8" and 2" Bulldog (Hammerblow) Couplers, Pin Tumbler Mechanism

UNIVERSAL TRAILER LOCKS

377, 378 • Front access key-way for ease of accessibility



Catalog #	Description	Finish
377DAT KD	Keyed Different <i>Ratcheting shaft allows it to fit most 1 1/8" and 2" couplers</i>	Nickel-Plated, Zinc Die-Cast Body
378XDAT	Keyed Different <i>Ratcheting shaft allows it to fit most 2 1/16" couplers</i>	Aluminum Cast Body

GUN LOCKS - RETAIL CARDED

90




- The world standard in trigger lock design
- 4-pin tumbler cylinder helps prevent picking
- Protective rubber pads shield gun from scratching or marring
- Steel and zinc body for maximum durability
- Durable metal construction
- Fits many handguns, rifles and shotguns

Catalog #	Description
90DSPT KA	Keyed Alike Trigger Lock

PYTHON ADJUSTABLE LOCKING CABLE

8413

- Rekeyable
- 6 ft. x 10mm vinyl coated braided steel cable



Catalog #	Description
8413 KD	Keyed Different
8413 KA	Keyed Alike

SECURITY BARS - RETAIL CARDED

250



- The ultimate in add-on security for entry doors and patio doors
- Withstands over 1,000 pounds of force
- Simple pushbutton adjustment requires no tools
- Lightweight aircraft grade aluminum
- Patented locking lever ensures snug fit
- Ideal for homes, apartments, dorms, and travel

Catalog #	Description
250D	Fits Most Hinged Doors

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free


913-371-5787
Fax: 913-371-3201

MAS 12

888-881-4245
Fax: 888-881-4248

..... **GENERAL USE HASPS - RETAIL CARDED**


- 702, 703** • Hard wrought steel and hardened steel bodies for strength
704, 706 • Hardened steel locking eyes for strong cut resistance
- Hardened steel staples resist cutting and sawing
 - Tamper proof hinges help resist prying



Catalog #	Description	Hasp Length	Accepts Shackle Diameter
702D	Hard Wrought Steel Body	2½"	⅜"
703D	Hard Wrought Steel Body	3½"	⅜"
704D	Hard Wrought Steel Body	4½"	½"
706D	Hardened Steel Body With Reinforced Plate	6"	⅝"

..... **HINGED HASPS**


- 720, 721** • Secure hard-to-lock property
722 • Hardened boron alloy staples resist cutting and sawing
 • Ideal for corners and angles
- Hardened steel body for added strength
 - Single and double hinge styles with hidden hinge pins



Catalog #	Description	Hasp Length	Accepts Shackle Diameter
720D	Single Hinge	6¼"	⅞"
721D	Single Hinge	8"	⅞"
722D	Double Hinge	7¾"	⅞"

..... **IRON BODY HASPS**


- 724**
- Superior protection for doors, gates and containers
 - Hardened boron alloy staples for superior prying resistance
 - Hasp body conceals mounting hardware
 - Solid iron body resists cutting, sawing and hammering



Catalog #	Description	Hasp Length	Accepts Shackle Diameter
724	Single Hinge	7¾"	⅞"

..... **HASP FOR 6270 & 6271 LOCK**


- 770**
- Designed to give added protection
 - Heavy duty
 - Solid Steel



Catalog #	Description	Hasp Width	Hasp Height
700	Shackleless Round	9"	4½"

..... **HASPLOCKS**

- 475**
- Hardened steel hasps with laminated steel lock body
 - Hardened steel locking eye for strong cut resistance
 - Hasps with integral locking mechanisms for security & convenience
 - 4-pin tumbler cylinder helps prevent picking
 - Ribbed hasp plate for extra strength



Catalog #	Description	Hasp Length	Lock Body Width
475 KD	Keyed Different; Retail Carded	4½"	1¼"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
 Fax: 913-371-3201

MAS 13

888-881-4245
 Fax: 888-881-4248



SAFETY LOCKOUT PRODUCTS

IT'S NOT JUST A LOCK...IT'S A LIFE

- **Master Lock's lockout/tagout products** and services are designed to help you successfully develop, implement and update the ideal system for your facility. Master Lock alone offers three distinct series of lockout padlocks to effectively function within virtually any L/T environment. The end result is that you can meet and surpass OSHA's lockout/tagout requirements. That's critical to you, because, it's about saving lives and preventing accidents, not just satisfying regulations.
- **Durable:** Master Lock offers three materials for safety lockout padlocks. Choose one that will fit your needs.
 - Xenoy** - Non-conductive, injection-molded thermoplastic. For use in corrosive and caustic applications.
 - Aluminum** - Powder-coated finish that outlasts anodizing. Best in corrosive or harsh weather environments.
 - Steel** - Laminated for superior strength. For locks that may be subjected to physical abuse.
- **Standardized:** Up to eight lock colors available to help you standardize and customize (by craft, responsibility, etc.), your lockout system within your facility.
- **Substantial:** Materials and designs to guard against harsh environments.
- **Identifiable:** Labels, brass tags, and laser engraving are all offered to make lock identification easy.
- **Choose Body Color: Required**


RED - Red	YLW - Yellow	BLU - Blue	PRP - Purple (410, 411 Only)	WHT - White (3 Only)
GRN - Green	BLK - Black	ORJ - Orange (410, 411, 6835 Only)	TEAL - Teal (410, 411 Only)	
- **For Keying Options, Keys and Key Blanks:** Consult your Smallwood representative

LIGHTWEIGHT XENOY

410

1 1/2" W x 1 3/4" H

- Bright molded-in colors for extreme durability and easy identification
- Extra-long standard steel shackle for added locking versatility
- Key retaining feature ensures padlock is not left unlocked
- Special Tri-lingual "Safety Lockout" markings and labels
- Non-conductive Xenoy® body
- Restricted safety lockout 6-pin tumbler cylinder for greater security




Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
410 KD	Keyed Different	1/4"	1 1/2"	25/32"
410 LT	Keyed Different	1/4"	3"	25/32"

411

1 1/2" W x 3" H

- Bright molded-in colors for extreme durability and easy identification
- Extra-long standard steel shackle for added locking versatility
- Key retaining feature ensures padlock is not left unlocked
- Special Tri-lingual "Safety Lockout" markings and labels
- Non-conductive Xenoy® body
- Restricted safety lockout 6-pin tumbler cylinder for greater security



Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
411 KD	Keyed Different	1/4"	1 1/2"	25/32"
411 LT	Keyed Different	1/4"	3"	25/32"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

MAS 14

888-881-4245
Fax: 888-881-4248



..... LAMINATED STEEL

3
1 1/16" W



- Colored bumpers for easy identification
- 4-pin cylinder helps prevent picking
- Hardened steel shackle for superior strength
- Key numbered ink-stamped on bottom of lock

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
3 KD	Keyed Different	5/32"	3/4"	5/8"
3 LF	Keyed Different	5/32"	1 1/2"	5/8"
3 LH	Keyed Different	5/32"	2"	5/8"

When ordering No. 3 Master Keyed padlocks, please specify either

- **MK** for master keyed using E100-E699 series key range
- **MK2K** for master keyed using E1000-E6990 series key range

..... PRO SERIES® HIGH VISIBILITY ALUMINUM

6835
1 1/16" W



- Brightly colored locks for easy identification
- Hardened steel shackle for extra cut resistance
- Powder-coated finish lasts longer than anodized
- Removable cylinder can be replaced or repinned
- 5-pin tumbler cylinder for added security

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
6835 KD	Keyed Different	1/4"	1 1/16"	25/32"
6835 B	Brass, Keyed Different	1/4"	1 1/16"	25/32"
6835 LF	Keyed Different	1/4"	1 1/16"	25/32"
6835 BLF	Brass, Keyed Different	1/4"	1 1/16"	25/32"
6835 LT	Keyed Different	1/4"	3"	25/32"

..... STEEL SAFETY LOCKOUT HASPS

420, 421
422, 424

- Safety lockout identification accessories for ideal OSHA compliance
- Heavy gauge steel resists prying
- Each accommodates up to six locks



Catalog #	Description
420	1" Diameter Jaws w/Anti-Spread Cleats; Red Lockout Hasp
421	1 1/2" Diameter Jaws w/Anti-Spread Cleats; Red Lockout Hasp
422	1" Diameter Jaws w/Anti-Spread Cleats; Yellow Economy Lockout Hasp w/Locking Tabs
424	1 1/2" Diameter Jaws w/Anti-Spread Cleats; Yellow Economy Lockout hasp w/Locking Tabs

..... ACCESSORIES

Catalog #	Description
71SC9	Collar & Rivet to Attach No. 71TAG to Padlock with 5/32" Shackle or Smaller
71SC10	Collar & Rivet to Attach No. 71TAG to Padlock with 5/16" Shackle or Smaller
71SHKS	9" Chain w/Pair of Mounting S-Hooks
71TAG	1/2" x 1 1/4" Brass Tag w/Ring For Attaching To Shackle Collars Listed Above
0410-5701	"Property Of" and "Danger: Labels for No. 410 Locks; 49 Labels
0411-5701	"Property Of" and "Danger: Labels for No. 411 Locks; 28 Labels

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

MAS 15

888-881-4245

Fax: 888-881-4248



..... **INSTITUTIONAL LOCKS**
GENERAL SECURITY COMBINATION PADLOCKS

... IMPORTANT ...

LOCKS CANNOT BE SHIPPED WITHOUT THE FOLLOWING INFORMATION

- **Complete name, address and postal code of school, industrial plant or other ultimate end user on every order.** We require this information to register serial numbers and key systems to each specific installation. This enable us, on future orders, to continue with or avoid the key system of record, and it ensures non duplication of serial numbers already in use.
- **Failure to provide end user information will delay processing your order and shipment until information is obtained.**
- **If locks are to be keyed to installation's existing system, indicate the system required on your order.** Many Master Lock installations use the same lock model but several different key systems. The key system is stamped on control keys and master keys currently in use. If a new key system is required, one different from any now in use at the installation, state on your order **"furnish new key system."**
- **Each type of Master built-in combination lock has two model numbers; one for locker door hinged on the right as you face the doors, and one for left hinged doors.** Be certain to check your application and specify the correct lock model for the lockers involved. This will avoid costly and time consuming replacements. Since lockers vary in styles and design, call us. We are available to assist in determining the correct lock to be used on your particular application.
- **Charts:** For security reasons control charts and/or keys will be sent in advance and separate from the lock order.
- **Allow 2-4 weeks delivery on most products.**


1502
1 7/8" Wide



- Double reinforced construction with stainless steel outer case and cold rolled steel inner case for strength and durability
- Nickel plated hardened steel shackle resists rust
- Easy, dependable 3-number dialing with automatic scrambling feature to prevent reopening of lock
- Ideal for schools, health clubs and employee lockers, where an administered locker security system is required
- Black dial

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1502	Combination Different	5/32"	3/4"	1 3/16"
<i>Colored Dial Available For A Slight Upcharge</i>				

1525
1 7/8" Wide



- Double reinforced construction with stainless steel outer case and cold rolled steel inner case for strength and durability
- Nickel plated hardened steel shackle resists rust
- Easy, dependable 3-number dialing with automatic scrambling feature to prevent reopening of lock
- Ideal for schools, health clubs and employee lockers, where an administered locker security system is required
- 1525 offers key control for immediate supervisory access
- Black dial

Catalog #	Description	Shackle Thickness	Shackle Clearance	Shackle Width
1525	Combination Different	5/32"	3/4"	1 3/16"
<i>Colored Dial Available For A Slight Upcharge</i>				
<i>Can't wait for 2-4 weeks for your order? No problem...we have a large quantity of 1525 combination locks with V659 control key on the shelf and ready for immediate shipment.</i>				

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201


MAS 16

888-881-4245
Fax: 888-881-4248



**..... INSTITUTIONAL LOCKS
BUILT-IN COMBINATION LOCKS**

1630



EXCLUSIVE FEATURES:

- Most popular built-in lock for gravity lift handles
- Vertical travel locking bolt engages lift handle locker mechanism
- Convenient, automatic locking
- Fits all lift handle lockers

ADVANTAGES

- Concealed mounting and rugged steel case
- Secure, three digit combination
- Longer useful life w/5 different combinations easily changed
- Standard key control
- End user registration and control charts provided

Catalog #	Description
-----------	-------------

1630 For Lockers With Door Hinges On The Right
1631 For Lockers With Door Hinges On The Left

1652



EXCLUSIVE FEATURES:

- Only built-in lock to offer the high security of an extended bolt throw with the convenience of an automatic locking spring bolt.
- Extra long locking bolt for high security
- Tested and recommended by AMP, Debourgh, GSS, Hadrian, List, Lyon and Penco for use on their SPL lockers

ADVANTAGES

- Concealed mounting and rugged steel case
- Secure, three digit combination
- Longer useful life w/5 different combinations easily changed
- Standard key control
- End user registration and control charts provided

Catalog #	Description
-----------	-------------

1652 For Lockers With Door Hinges On The Right
1653 For Lockers With Door Hinges On The Left

1654



EXCLUSIVE FEATURES:

- Most popular lock for multiple-tier and box lockers with pull or friction latch handles; it offers high security and convenient automatic locking
- Horizontal travel
- Standard length locking bolt
- Spring bolt action for convenient, automatic locking

ADVANTAGES

- Concealed mounting and rugged steel case
- Secure, three digit combination
- Longer useful life w/5 different combinations easily changed
- Standard key control
- End user registration and control charts provided

Catalog #	Description
-----------	-------------

1654 For Lockers With Door Hinges On The Right
1655 For Lockers With Door Hinges On The Left

1670



EXCLUSIVE FEATURES:

- Highest security, built-in combination deadbolt lock for lift handle, turn handle, single point latch, and box lockers; ideal for open mesh lockers
- Horizontal bolt travel
- Manual operation requires the dial to be turned to relock the door
- Fits all locker styles

ADVANTAGES

- Concealed mounting and rugged steel case
- Secure, three digit combination
- Longer useful life w/5 different combinations easily changed
- Standard key control
- End user registration and control charts provided

Catalog #	Description
-----------	-------------

1670 For Lockers With Door Hinges On The Right
1671 For Lockers With Door Hinges On The Left

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

MAS 17

888-881-4245

Fax: 888-881-4248



Master Lock®

..... **NOTES**

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free



913-371-5787
Fax: 913-371-3201

MAS 18

888-881-4245
Fax: 888-881-4248